

2023 CITY OF RENTON WATER QUALITY REPORT

DID YOU KNOW?

Renton's drinking water is mainly sourced from aquifers located below the city. Over time, rain becomes our drinking water.

Learn more about Renton's water including:

- 2022 Water Quality Data
- Water Saving Techniques
- Your Water Source and Treatment



Renton's Water Sources and Treatment Process



Renton's Water Sources

IN 2022, the City of Renton obtained its drinking water from four sources:

1. Six downtown wells located in Liberty and Cedar River Parks, which draw water from the Cedar Valley Aquifer
2. Springbrook Springs, a small spring in south Renton
3. The Maplewood wellfield located under the Maplewood Golf Course
4. An agreement to buy water from Seattle Public Utilities (SPU), who source water from the Cedar and Tolt rivers

Our agreement with SPU began in January 2012. During 2022, SPU provided approximately 19 million gallons of water that were used by the Renton Boeing plant. Water is purchased from SPU primarily for the Renton Boeing plant and as a backup supply during summer peak use periods. More information is available at SPU: seattle.gov/utilities/about/reports/water-quality-reports.

In 2022, the combined four water sources produced approximately 2.71 billion gallons of water.

Water Utility News—Sunset Gardens

THE RENTON WATER UTILITY recently completed a new water main installation along NE 10th Street and Jefferson Avenue in the Renton Highlands area. The water utility infrastructure improvements project was funded by the Washington State Department of Commerce's Connecting Housing to Infrastructure (CHIP) grant program to facilitate the development of affordable housing construction. The Renton Housing Authority's Sunset Gardens will provide 76 units of affordable housing for veterans, persons with disabilities, and seniors.

The grant funds covered the construction cost of the off-site water main improvements, consisting of approximately 1,400 feet of 12-inch ductile iron pipe, 4 new fire hydrants, and the restoration of asphalt roadways.

Providing Safe, Clean Water

THE WATER PUMPED from the downtown wells and Springbrook Springs is naturally very clean and needs minimal treatment. Chlorine is added to destroy bacteria, parasites, and viruses that could possibly enter our source water. Chlorine also protects water in the distribution system in case there is a contamination event like a water main break or backflow incident. Sodium hydroxide is added to slightly raise the pH of the water to help prevent the corrosion of household plumbing. Ortho-polyphosphates are added to reduce the internal corrosion of old cast iron water mains found in the neighborhood of West Hill. Fluoride is added to prevent tooth decay, as authorized by Renton voters in 1985.

The downtown wellfield produced 61.4% of Renton's water in 2022. Springbrook Springs produced 19.7% of Renton's water in 2022.

The Maplewood wellfield produced 18.9% of Renton's water in 2022.

Maplewood water is clean as well, but due to naturally occurring minerals, it must first be treated before it is pumped into the distribution system. The treatment process consists of removing manganese, hydrogen sulfide, and ammonia from the source water. Chlorine is added to protect the water in the distribution system and fluoride is added to prevent tooth decay.

2022 Renton Water Statistics

2,709,546,735 gallons produced for the City of Renton from 9 wells, 1 spring, and SPU interties

318 miles of water main in service

18,553 total metered connections

7,370,271 gallons produced on an average day

12,243,000 gallons produced on high demand day: Aug 7, 2022

5,343,000 gallons produced on low demand day: November 25, 2022

A Message from the EPA

OUR DRINKING WATER comes from wells and springs. As our water travels through the ground to the wells, it can dissolve naturally occurring minerals as well as substances from human activity. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 800-426-4791.

Some people may be more vulnerable to contaminants



in drinking water than the general population. Immuno-compromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their healthcare providers. Environmental Protection Agency (EPA)/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at 800-426-4791.

Water Use Efficiency

IN 2003, the Washington State Legislature passed the Municipal Water Law to address the increasing demand on the state's water resources. The law established that all municipal water suppliers must use water more efficiently in exchange for water right certainty and flexibility to help them meet future demand. The Water Use Efficiency (WUE) Rule is part of this law and requires municipal water suppliers to report their goals and progress each year.

In 2021, Renton hosted a public forum and updated the WUE goals as part of the Water System Plan Update. The city has the following measurable WUE goals:

1. Reduce Distribution System Leakage (DSL) to 10 percent or less by 2022.
2. Limit the Maximum Daily Demand to Average Daily Demand peaking factor to less than 2.0.
3. Maintain an ERU value under 160 gpd/ERU (gallons per day/Equivalent Residential Unit)

As part of the Saving Water Partnership (SWP), the city also supports the regional 2019–2028 WUE goal to keep the total average annual retail water use of SWP members under 110 million gallons per day (mgd) through 2028 despite forecasted population growth by reducing per capita water use. For 2022, the SWP met the goal with total average annual retail water use of SWP members at 94.3 mgd.

Water Consumption and Losses

RENTON'S TOTAL WATER PRODUCED and purchased in 2022 was 2,709,546,735 gallons. DSL is reported in the 2022 Water Use Efficiency report to the Washington State Department of Health (DOH) as a three-year rolling average, calculated to be 14%. Renton's DSL for the 2022 calendar year was 15.6%, or 423,011,932 gallons. This is a 1.3% increase from 2021. Our three-year rolling average increased by 1.5%. DSL reflects the amount of water and potential revenue that has been lost due to unauthorized water use, water main breaks and leaks, meter inaccuracies, and other causes.

Water Loss Control Action Plan

SINCE THE THREE-YEAR (2020–2022) annual average of the city's distribution system leakage exceeds 10%, the city is required by the state to develop and implement a Water Loss Control Action Plan. The city is taking the following actions, among others, to identify and reduce water loss in the distribution system:

- Continue the annual replacement of aging and leaky water mains.
- Conduct leak testing on old underground water reservoirs and repair leaky joints on concrete floors and walls.
- Continue using Advanced Metering Infrastructure (AMI) technology to detect leaks.
- Continue to review water consumption data for calculation errors, identify meter inaccuracies, and search for additional potential sources of water loss.
- Improve tracking of non-metered authorized water use.



Water Conservation: Watering your Garden

HOW TO WATER: SHRUBS AND PERENNIALS

Many established plants need little or no summer watering. Before you water, look for wilted leaves that don't perk up in the evening, deciduous leaves that are yellow before autumn, or evergreen leaves that are dull or bronze.

HOW TO WATER: ANNUALS

Annuals generally need more water than other types of landscaping plants. Minimize your water use by waiting to water until the soil surface is dry and covering the soil with mulch in the spring.

Free natural gardening classes

TAUGHT BY PNW GARDENING EXPERTS

SAVINGWATER.ORG



HOW TO WATER: YOUNG TREES

Using a water bag is the most efficient way to water young trees. For the first 5 years trees need 15 – 20 gallons of water twice a week, applied close to the roots.

RIGHT PLANT, RIGHT PLACE

Plants that fit our Northwest climate and soils are easier to care for, need less summer watering, and look great. For more information on picking the right plant for your place, visit savingwater.org/lawn-garden/plants.

BUILD HEALTHY ROOTS

Getting to the root of the issue. Plants with deep, healthy roots need less water, are more resilient, and will look their best. To build healthy roots:

- Build healthy soil by adding compost and mulch.
- Let the top few inches of soil dry before watering again so that plant roots and soil life can breathe.
- Water deeply and infrequently to encourage roots to grow deep.

Plant perennials in the fall to build strong root systems before next year's dry season.



Water Conservation: Toilet Tips

How Do I Know If My Toilet is Leaking?

LOOK, LISTEN, AND LIFT THE LID TO DETECT TOILET LEAKS.

Look at the bowl of your toilet to see if water flows from the tank when you have not flushed. If water is dribbling into the bowl, you have a leak.

Listen to the tank. If it sounds like it is re-filling even when you haven't flushed, that means you have a leak.

Lift the top off your toilet's tank and check to see if the rubber seal or "flapper" looks worn out. If the rubber is cracking or not creating a complete seal, you have a leak.

You can detect silent leaks with food coloring. Put food coloring or a dye strip in the tank, don't flush, and see if the color appears in the bowl. If it does, you have a leak.



Was your toilet manufactured before 2004?


Replacing an older toilet is one of the most powerful actions you can take to save water every day. Visit savingwater.org/rebates for more information about \$100 toilet rebates available to Renton's small business, commercial, multifamily, and residential customers.

Did you know?

Leaks waste up to 12% of all water used at home. Yikes! That's almost as much water as most homes use doing laundry each year.

Visit savingwater.org/indoors/fixing-leaks for how-to videos and more information about fixing leaks in your home.

How water is used inside most homes



Water Conservation: Indoor

Bathrooms

- Fix leaks, drips, and running toilets right away. If your toilet makes noise between flushes or if you have to jiggle the handle, you have a leak.
- Shorten your shower. Save 2 gallons for every minute you shave off your shower.
- Upgrade your showerhead or faucet. The new models work great and use less water.
- Turn the tap off while brushing your teeth. You can save enough water to fill a kiddie pool each week.

Kitchen

- Run full loads. Wait to run your dishwasher until it's full.
- Scrape your plate and let a dishwasher do the rest. The average dishwasher uses 5 gallons of water or less, while washing the same number of dishes by hand can take 27 gallons.
- Compost your food scraps. Skip the garbage disposal and running your faucet whenever you can.
- Don't walk away while waiting for hot water. It's easy to lose track of time and leave the water running.



Laundry

- Run full loads. Wait to run your washing machine until it's full.
- Reuse towels a few times between washing.
- Bonus tip: wash with cold water to save energy.

WATER IS A PRECIOUS, SHARED RESOURCE

When you save water, you help protect salmon. This is especially important during summer and fall when stream flows are already naturally low when adult salmon are returning to our local rivers and streams to spawn.



You can also help protect this important species by practicing these salmon-safe habits...

- Never dump oil or other chemicals down storm drains, and make sure no pollutants are leaking that could get washed into waterways (including pressure washing).
- Sweep sidewalks and driveways instead of hosing. Put sweepings in the garbage to prevent pollutants and debris from entering streams.
- Use automatic car washes that recycle water and perform proper disposal of detergents.
- Plant native plants and trees to reduce the need for watering, pest control and fertilization; and reap multiple benefits such as controlling erosion, reducing flooding, filtering pollution, and attracting wildlife.
- Use compost as a natural fertilizer on your lawn, flowers, and garden beds. Compost supports healthy plant roots and slowly releases water to plants. Avoid non-organic fertilizers.

RENTON AND THE SAVING WATER PARTNERSHIP


Renton is a Member of the Saving Water Partnership

IN JANUARY 2012 Renton signed an agreement to buy water from Seattle Public Utilities. As part of this agreement, the City of Renton joined the Saving Water Partnership (SWP). The SWP, which is made up of the City of Renton and 18 water utility partners, has set a ten-year conservation goal: keep the total average annual retail water use of SWP members under 110 mgd through 2028, despite forecasted population growth, by reducing per capita water use. For 2022, the SWP met the goal with total average annual retail water use of SWP members at 94.3 mgd.

Why conserve? It works!

WHEN WE WORK TOGETHER to save water, it makes a big difference. Thanks to conservation efforts, our region uses the same amount of water today that it did in the late 1950s.

Population and Water Consumption for Seattle Regional Water System



Our region has reduced its water use dramatically since 1990.

This graph of the Seattle Regional Water System, includes several wholesale water utilities that are not part of the Saving Water Partnership.

Together We Provide Water Conservation Programs to the Region

- In 2022, the SWP youth education program conducted 624 in-classroom and remote presentations to more than 13,600 K–8 students. Popular topics included the water cycle, the salmon life cycle, and how healthy soil saves water. In Renton, Nature Vision taught 60 classes to 1,410 students in 2022 as part of this program.
- The SWP provided rebates for Premium toilets for residential and commercial customers. These fixtures use 1.1 gallons of water per flush (or less), at least 20% less water than a regular WaterSense fixture. The Single Family Toilet Rebate Program upgraded 167 toilets to Premium toilet models region-wide.
- The SWP presented 19 Savvy Gardener classes in 2022 with 371 attendees. These classes enable gardeners to create and maintain healthy landscapes that save water and are good for families and the environment. Renton hosted two of these classes.

Renton Water Quality Topics

Lead and Your Health

IF PRESENT, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Renton Water Utility is responsible for providing high-quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 800-426-4791 or epa.gov/safewater/lead.

If you flush your tap, you can use the flushed water for watering plants or general cleaning. Hot water is likely to contain higher levels of lead. Only use water from the cold-water tap for drinking, cooking, and especially for making baby formula. Homes built before 1986 are more likely to have lead pipes, fixtures, and solder. The most common problem is brass or chrome-plated brass faucets and fixtures that can leach lead into the water, especially hot water. Until nine years ago, the legal limit for “lead-free” pipes was up to 8% lead. As of January 1, 2014, all newly installed water faucets, fixtures, pipes, and fittings must meet new lead-free requirements, which reduce the amount of lead allowed to 0.25%. However, these requirements do not apply to existing fixtures, such as those found in many older homes.

LEAD PREVENTION

RENTON WORKS TO PREVENT the corrosion of lead as well as other metals such as copper and iron. The pH of Renton’s water is adjusted to prevent the corrosion of household plumbing—the major potential source of lead in our water. To make sure this treatment is working, water is periodically tested at residential taps. This testing is in compliance with the Lead and Copper Rule. More information is available at doh.wa.gov/leadandcopperrule.

LEAD TESTING IN SCHOOLS

THE WASHINGTON STATE DEPARTMENT OF HEALTH has developed a program to address concerns about lead in school drinking water. For updated information, please visit: doh.wa.gov/LeadinSchoolDrinkingWater.

PFAS Chemicals

PFAS IS AN ACRONYM for “per- and poly-fluorinated alkyl substances.” PFAS are synthetic chemicals used in many consumer products, including food wrappers, fabrics, and carpets, to make them resistant to water, oil, grease, stains, and heat. Certain types of firefighting foam may contain PFAS. Even though PFAS compounds aren’t manufactured in Washington State, there are known cases of PFAS contamination in drinking water linked to the use of firefighting foam.

NEW PFAS Rule and Testing

THE RENTON WATER UTILITY tested for six PFAS compounds in 2014 and 2015 under an EPA rule for unregulated contaminants. PFAS were not detected in any of the drinking water samples. As new information emerges on PFAS, the Water Utility completed testing again in March 2023 for 29 PFAS compounds and at lower detection limits. This recent sampling showed one sample result from Springbrook Springs with detection of perfluorobutane sulfonic acid (PFBS), but at a level significantly below the recommended action limits in state and federal guidance.

2023 Renton PFBS Result from Springbrook Springs	WA DOH PFBS State Action Level	EPA PFBS Health Advisory Level
2.98 ppt	345 ppt	2,000 ppt

*ppt: 1 part per trillion. 1 ppm = 1,000,000 ppt

In March 2023, EPA released a proposed rule for regulating six PFAS in drinking water. The proposed rule will undergo a public review and comment process and may change before it becomes final in late 2023 or early 2024. The City is in full compliance with all current EPA and Washington State DOH regulatory requirements and will continue working to meet EPA’s new PFAS regulations. Another round of PFAS testing will occur in late 2023 in accordance with our testing plan. PFAS sample data will be included in the 2024 Renton Water Quality Report.

The City of Renton has continued tracking information on emerging contaminants, such as PFAS, and is dedicated to following regulatory updates to provide our customers with sound, scientific information regarding their drinking water.

For more information, please visit epa.gov/pfas and doh.wa.gov/pfas

Renton Water Quality Topics

Water Quality for Brewers

FOR BREWERS IN OUR COMMUNITY, specific water quality parameters are often of interest. Below are the values for the minerals and parameters generally requested. These numbers are the annual range of values. Renton’s water comes from multiple sources and depending upon your location, you may receive water from one source or a combination of our water sources.

WATER QUALITY PARAMETER	WATER SOURCE – DOWNTOWN WELLS
Average pH (2021)	7.4–8.0
Total hardness as Calcium Carbonate, ppm (2021)	44
Sodium, ppm (2021)	14
Sulfate, ppm (2021)	4.9
Chloride, ppm (2021)	3.5

HISTORICAL DATA

Calcium, ppm (2004)	13
Magnesium, ppm (2004)	3.5

HOW CAN I GET INVOLVED?

THE CITY OF RENTON welcomes your interest in its water system. The Renton City Council is the city’s decision-making body and meets on the first four Mondays of each month at 7 p.m. Meetings are conducted via video conference and in person at the Council Chambers on the 7th floor of City Hall.

The City Council Utilities Committee oversees Water Utility issues. They meet the first and third Monday of the month at 3 p.m. via video conference.

Members of the Utilities Committee for 2023 are:

James Alberson, Jr., Chair
Carmen Rivera, Vice-Chair
Ryan McIrvin, Member

Call the City Clerk’s office at 425-430-6510 for meeting or agenda information, or check the City Council calendar at rentonwa.gov/council.

Water Hardness

RENTON’S WATER FALLS within the slightly hard, moderately hard, and hard range, depending upon the customer’s water source within the City. The most recent water hardness testing showed 44 ppm for the downtown wells, 69 ppm for Maplewood wells, and 125 ppm for Springbrook Springs. A water’s hardness is dependent upon the levels of two naturally occurring soluble minerals—calcium and magnesium. The EPA does not set a limit for water hardness. Since Renton’s water is at the lower range, the city does not actively treat for water hardness. Hard water may cause scale buildup in cooking pans, sinks, and water heaters, and may require using more soap to form a lather. If you do not know which water source your drinking water comes from, the water utility can help.



WATER HARDNESS SCALE

Grains/Gal	mg/L & ppm	Classification
Less than 1	Less than 17.1	Soft
1–3.5	17.1–60	Slightly Hard
3.5–7	60–120	Moderately Hard
7–10	120–180	Hard
Over 10	Over 180	Very Hard

Fluoride

IN 1985, the citizens of Renton voted to have fluoride added to the city’s drinking water. Fluoride levels were adjusted in 2016 to meet the DOH’s new recommended level of 0.7 ppm. More information on fluoride can be found at the CDC at cdc.gov/fluoridation/faqs.

2022 Renton Water Quality Results

DOWNTOWN WELLS, SPRINGBROOK SPRINGS, AND MAPLEWOOD WELLFIELD SAMPLED AT THE SOURCE AFTER TREATMENT

Detected Substance	Year Sampled	MCL	MCLG	Highest Amount (Range)	Possible Sources
Fluoride ¹ (ppm)	2022	4	4	0.8 (0.6–0.8)	Water additive to prevent tooth decay
Nitrate (ppm)	2022	10	10	2.0 (0.2–2.0)	Fertilizer runoff; leaching from septic tanks; erosion of natural deposits
Total Trihalomethanes (ppb)	2021*	80	Not Established	3.7 (ND–3.7)	Disinfection by-products
Arsenic (ppb)	2019*	10	0	1.4 (ND–1.4)	Erosion of natural deposits
Sodium ² (ppm)	2021*	Not Established	Not Established	18 (14–18)	Erosion of natural deposits; water treatment

*The water quality information presented is from the most recent testing within the last five years.

SAMPLING POINTS IN THE WATER DISTRIBUTION SYSTEM

Detected Substance	Year Sampled	MCL or MRDL	MCLG or MRDLG	Average Amount (Range)	Possible Sources
Chlorine (ppm)	2022	4 (MRDL)	4 (MRDLG)	1 (0.5–1.7)	Additive to control microbes
Total Trihalomethanes** (ppb)	2022	80	Not Established	14 (7.2–21)	Disinfection by-products
Haloacetic Acids** (ppb)	2022	60	Not Established	4.3 (1.3–7.2)	Disinfection by-products

** In 2016, Renton qualified for reduced monitoring for total trihalomethanes and haloacetic acids. Sampling occurs at two sites once per year.

RESIDENTIAL WATER TAPS

Detected Substance	Year Sampled	AL	MCLG	90th Percentile*** (Range)	Possible Sources
Lead ³ (ppb)	2022	15	0	2.1 (ND–5.1)	Corrosion of plumbing systems; erosion of natural deposits
Copper ³ (ppm)	2022	1.3	1.3	0.51 (0.03–0.69)	Corrosion of plumbing systems; erosion of natural deposits

*** 90th Percentile: i.e. 90 percent of the samples were less than the values shown.

1. Renton measures fluoride levels daily in the distribution system. Beginning in April 2016, Renton lowered the fluoride level to 0.7 ppm, which is the new level recommended by the Washington State Department of Health. Renton citizens voted to add fluoride to the drinking water in 1985.
2. The EPA recommends 20 ppm as a level of concern for people on a sodium-restricted diet. Renton adds sodium hydroxide to prevent corrosion of plumbing. Sodium hypochlorite is added to water from the Maplewood wells for disinfection and to remove naturally occurring ammonia.
3. There were 45 samples tested for lead and copper. All of the samples tested had levels far below the Action Levels for both lead and copper.

DEFINITIONS

AL: Action Level – The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

MCL: Maximum Contaminant Level – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG: Maximum Contaminant Level Goal – The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL: Maximum Residual Disinfectant Level – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG: Maximum Residual Disinfectant Level Goal – The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

MRL: Minimum Reporting Level

NA: Not Applicable

ND: Not Detected

NTU: Nephelometric Turbidity Unit – Turbidity is a measure of how clear the water looks. The turbidity MCL that applied to the Cedar supply in 2020 is 5 NTU, and for the Tolt supply it was 0.3 NTU for at least 95% of the samples in a month. 100% of Tolt samples in 2020 were below 0.3 NTU.

pCi/L: picocuries per liter

ppb: 1 part per billion = 1 ug/L = 1 microgram per liter. 1 ppm = 1000 ppb.

ppm: 1 part per million = 1 mg/L = 1 milligram per liter. 1 ppm = 1000 ppb.

ppt: 1 part per trillion = 1 ng/L = 1 nanogram per liter. 1 ppm = 1,000,000 ppt.

TT: Treatment Technique – A required process intended to reduce the level of a contaminant in drinking water.

YOUR WATER IS SAFE

Water from the City of Renton and Seattle Public Utilities meets all regulatory standards, ensuring that your water is safe to drink.

The Cedar River Watershed, a main water source for SPU.

2022 SPU Water Quality Results

SINCE 2012, the city has purchased water from Seattle Public Utilities (SPU) to serve the Renton Boeing plant and as a backup supply during summer peak use periods. Results of the 2022 water quality monitoring requirements performed by SPU for the Cedar River and Tolt River sources are shown below.

SEATTLE PUBLIC UTILITIES WATER QUALITY RESULTS

Detected Substance	EPA's Allowable Limits		Levels in Cedar Water		Levels in Tolt Water		Possible Sources
	MCL	MCLG	Average	Range	Average	Range	
RAW WATER							
Total Organic Carbon (ppm)	TT	NA	0.72	0.39–0.97	1.24	1.10–1.41	Naturally present in the environment
FINISHED WATER							
Turbidity (NTU)	TT	NA	0.35	0.19–1.93	0.04	0.02–0.24	Soil runoff
Arsenic (ppb)	10	0	0.43	0.34–0.52	0.28	0.22–0.38	Erosion of natural deposits
Barium (ppb)	2000	2000	1.26	1.02–1.43	1.21	1.14–1.30	Erosion of natural deposits
Bromate (ppb)	10	0	0.4	ND-5	ND	ND	Disinfection by-products
Fluoride (ppm)	4	4	0.7	0.6–0.8	0.7	0.6–0.8	Water additive to prevent tooth decay
Nitrate (ppm)	10	10	0.1	One Sample	0.1	One Sample	Erosion of natural deposits

Ensuring Water Safety

To ensure that tap water is safe to drink, the DOH and EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.

The Food and Drug Administration and the Washington Department of Agriculture regulations establish limits for contaminants in bottled water that must provide the same protection for public health.



One of the city's water sources, the Maplewood wellfield is located under the Maplewood Golf Course.

How Can We Help You?

Questions about this report:

Water Utility Engineering at 425-430-7287

Water discoloration, taste, or odor:

Water Quality at 425-430-7400 (7 a.m.–3:30 p.m.) or 425-430-7500 after hours or weekends

To report water pressure problems, water leaking in the streets, or water leaking at a meter:

Water Maintenance at 425-430-7400 (7 a.m.–3:30 p.m.) or 425-430-7500 after hours or weekends

If you are moving and need to arrange for a change of water service, or for general billing questions:

Utility Billing at 425-430-6852

EMERGENCIES: CALL 911

THIS REPORT is written and distributed in compliance with the Federal Safe Drinking Water Act, which requires water utilities to provide annual “consumer confidence” reports to their customers. You will find in this report: where our drinking water comes from; what minerals or chemicals it contains; how it compares to stringent water quality standards; what Renton is doing to protect our water supply; and what we are doing to wisely use and conserve our regional water supply. Hopefully this report will help you better understand your drinking water. We assure you that providing high quality and safe drinking water is one of Renton’s highest priorities.

This report contains important information about your drinking water. Have someone translate it for you, speak with someone who understands it, or go to rentonwa.gov/waterquality and select a language at the top of the page.

Este reporte tiene información importante sobre el agua que toma. Pida a alguien que se lo traduzca, hable con alguien que entienda o visite rentonwa.gov/waterquality y seleccione el idioma de la parte superior de la página.

Báo cáo này có thông tin quan trọng về nước uống của quý vị. Hãy nhờ ai đó dịch cho quý vị, nói chuyện với người hiểu nội dung báo cáo này, hoặc truy cập rentonwa.gov/waterquality rồi chọn ngôn ngữ ở phần đầu trang.

这份报告包含了有关您的饮用水的重要信息。请人帮您翻译·或与了解该信息的人交流·或前往 rentonwa.gov/waterquality ·并在页面顶部选择一种语言。



Water quality reports can be found online at: rentonwa.gov/waterquality